



**MYCOTOXIN PANEL REPORT  
FORM  
03/01/2016**

RealTime Laboratories, Inc  
4100 Fairway Drive, Ste 600  
Carrollton, TX 75010  
Phone: 1-972-492-0419  
Fax: 1-972-243-7759  
Website: www.realtimelab.com  
Email: info@realtimelab.com  
CLIA #: 45D1051736  
CAP #: 7210193  
TaxId#: 45-0669342

Patient: **John Q. Patient**  
 Patient Date of Birth: **11/20/1949**  
 Date of Receipt: **03/01/2016**  
 Date of Report: **03/01/2016**  
 Ordering Physician: **Dennis Hooper**  
 Real Time Laboratories  
 4100 Fairway Court, Suite 600, Carrollton, TX 75010

Accession No: **169767**  
 MRN:  
 Date of Service: **02/29/2016**  
 Specimen: **Urine**

Procedure Type


Ochratoxin A - Procedure by ELISA
Aflatoxin Group(B1,B2,G1,G2) - Procedure by ELISA
Trichothecene Group(Macrocylic) - Procedure by ELISA
Gliotoxin Derivative - Procedure by ELISA

Results:

Code	Test	Specimen	Value	Result	Not Present if less than	Equivocal if between	Present if greater or equal
E8501	Ochratoxin A	Urine	32.46 ppb	Present	1.8 ppb	1.8-2.0 ppb	2.0 ppb
E8502	Aflatoxin Group(B1,B2,G1,G2)	Urine	0.51 ppb	Not Present	0.8 ppb	0.8-1.0 ppb	1.0 ppb
E8503	Trichothecene Group(Macrocylic)	Urine	0.06 ppb	Not Present	0.18 ppb	0.18-0.2 ppb	0.2 ppb
E8510	Gliotoxin Derivative	Urine	10.91 ppb	Present	0.2 ppb	0.2-0.3 ppb	0.3 ppb

Director Signature \_\_\_\_\_

Tests such as this should be used only in conjunction with other medically established diagnostic elements (e.g., symptoms, history, clinical impressions, results from other tests, etc). Physicians should use all the information available to them to diagnose and determine appropriate treatment for their patients.  
 Disclaimer: This test was developed and its performance characteristics determined by RealTime Lab. It has not been cleared or approved by the U.S. Food and Drug Administration. The FDA has determined that such clearance or approval is not necessary. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88) as qualified to perform high complexity clinical laboratory testing.



requestId	Collection Date	Ochra Result	Afla Result	Tricho Result	Gliotoxin Result
<a href="#">169767</a>	02/29/2016	32.46 - Present	0.51 - Not Present	0.06 - Not Present	10.91 - Present
<a href="#">QUAD1</a>	01/5/2016	60.5 - Present	0.06 - Not Present	0.01 - Not Present	8.73 - Present
<a href="#">JKU</a>	09/21/2015				0 - Not Present